(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 22 January 2004 (22.01.2004)

PCT

(10) International Publication Number WO 2004/008259 A1

- (51) International Patent Classification7: G04B 17/06, 17/22, F16F 1/366
- (21) International Application Number:

PCT/GB2003/003000

- (22) International Filing Date:
- 10 July 2003 (10.07.2003)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

02/08802

12 July 2002 (12.07.2002) FR


- (71) Applicant and
- (72) Inventor: LEVINGSTON, Gideon [GB/FR]; 50, avenue Francis de Croisset, F-06130 Grasse (FR).
- Agents: CALDERBANK, T., Roger et al.; Mewburn Ellis, York House, 23 Kingsway, London, Greater London WC2B 6HP (GB).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

with international search report

[Continued on next page]

(54) Title: MECHANICAL OSCILLATOR SYSTEM





(57) Abstract: A mechanical oscillator system comprising a balance wheel and a spiral or helicoidal balance spring for use in horological mechanisms or other precision instruments. The balance spring is made of a non-magnetic composite, polymer, carbon or ceramic material, preferably a composite material of carbon fibres in a polymer, carbon or ceramic matrix, and the balance wheel is made from a non-magnetic The values of the ceramic. thermal expansion coefficients for the balance spring and balance wheel are similar, very small and stable over a wide temperature range. The expansion coefficients in the axial sense of the spring and of the balance wheel are of opposite sign and they compensate one another. The density of these materials is smaller than that of the currently used metals. Through this combination of materials it is possible to obtain significant advantages and a higher level of accuracy and stability compared with metal oscillator systems.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

1

MECHANICAL OSCILLATOR SYSTEM

The present invention relates to a mechanical oscillator system comprising a balance and balance spring for use in horological mechanisms (e.g. timekeeping devices) or other precision instruments. It is thought that it will be particularly applicable to the oscillator system in a mechanical watch, although the present invention is not limited to this.

10

15

5

Previous mechanisms use metal alloys, in particular Fe-Ni or Ni, Cu-Be, Au-Cu alloys, for the balance spring and balance. At its most general, in one of its aspects, the present invention proposes that the balance is made of a non-magnetic ceramic material and the balance spring is non-magnetic and is made of a composite material, or a polymer (including thermoset and thermoplastic polymers, esters and phenolic based resins), carbon or (non-magnetic) ceramic material.

20

In contrast to metals, the above materials are nonsusceptible to the effects of magnetism - including
electromagnetic damping and magnetically induced change

of the Young's modulus. These materials have some intrinsic thermal characteristics which are better than metals and so a mechanical oscillator system having reduced variation of oscillator frequency with temperature can be made. Variation with temperature is discussed below in more detail. A balance spring of the above materials may be less susceptible to internal mechanical (e.g. friction) damping of the Young's Modulus, allowing amplitude to be maintained by the balance and a higher frequency of oscillation and therefore a more accurate horological mechanism or precision instrument than a metal spring.

The balance spring is arranged to oscillate the balance. Preferably the balance is a balance wheel; the balance spring may be arranged inside the circumference of the balance wheel so as to oscillate the balance wheel back and forth about its axis of rotation as is conventional. The balance may be coupled to an escapement mechanism for regulating rotation of an escape wheel (which is e.g. coupled to the hands of a watch), as is also conventionally known.

3

Preferably the balance spring works in flexion to oscillate the balance, most preferably exclusively in flexion. That is the balance spring is preferably not relying on strain or shear properties for the repeated store and release of energy during its (relatively rapid) oscillations. Preferably the balance spring coils are not in contact with each other, i.e. there is a gap between adjacent coils. This eliminates or reduces friction and allows the successive coils to act unhindered by one another.

While the main body of the balance is made of a ceramic material, it may have small appendages of other materials.

15

10

5

Considerations relating to the oscillator frequency and in particular its variation with temperature will now be discussed.

The accuracy of a mechanical watch is dependent upon the specific frequency of the oscillator composed of the balance wheel and balance spring. When the temperature varies, the thermal expansion of the balance wheel and balance spring, as well as the variation of the Young's

5

10

15

Modulus of the balance spring, change the specific frequency of the oscillating system, disturbing the accuracy of the watch. The inventor has noticed that in known systems approximately three quarters of the variation is due to thermal or magnetically induced changes in the balance spring.

Methods for compensating these variations are based on the consideration that the specific frequency depends exclusively upon the relationship between the torque of the balance spring acting upon the balance and the moment of inertia of the latter as is indicated in the following relationship

$$T = 2\pi \sqrt{\frac{I}{G}} \tag{1}$$

T: the period of oscillation, I: the moment of inertia of the balance wheel, G: the torque of the balance spring.

The moment of inertia of the balance wheel is a function of its masse M and its radius of gyration r.

The torque of the balance spring is a function of its dimensions: length 1, height h, thickness e, and of its Young's Modulus E. The length 1 of the balance spring (which may be helical or spiral form) is the whole length of the spring, end to end, as distinct from e.g. a top to

5

bottom measurement that varies according to the spacing of the coils.

The relationship [1] is therefore written:

10

15

$$T = 2\pi \sqrt{\frac{12.M.r^2 \, l}{E.h.e^3}}$$
 [2]

Temperature variations influence T (the period of oscillation) resulting from the effects of expansion and contraction of the system (balance spring and balance wheel) l, h and e for the balance spring, and r for the balance wheel whose mass m remains constant.

It is known how to compensate for the effects of expansion on l, h and e. However the period of oscillation is still subject to variations of r and E in keeping with the relationship expressed by:

$$\frac{r}{\sqrt{E}}$$
 (3)

These two terms are not in a linear relationship.

It is necessary that this relationship should remain as constant as possible (so as to keep the period T of oscillations constant).

WO 2004/008259

Fe-Ni metal spring alloys render an approximate solution when the alloy is perfectly de-magnetised. However, when the alloy is not perfectly demagnetised, the relationship is no longer constant: \sqrt{E} changes.

5

10

The currently employed metal alloys for balance springs show an increase in E (which is considered abnormal) and also in I, for an increase in temperature, over the ambient temperature range up to 40°C. The balance wheels currently employed in precision watches are of an Au-Cu alloy with a coefficient of thermal expansion α between +14 and $\pm 1.7 \times 10^{-6} / \mathrm{K}^{-1}$ to compensate for changes in the Young's modulus of the balance spring.

In summary, the currently used metal alloys despite compensation, only allow for the stability of *T* (period of oscillation) over a narrow temperature range and only when the balance spring alloy remains un-magnetised. (Any watch currently employing a Fe-Ni balance spring may be

stopped by a sufficient magnet).

Preferably the balance spring material comprises continuous fibres extending along the length of the

WO 2004/008259

balance spring from one end of said spring to the other end of said spring.

- As the fibres are continuous extending along the length of the balance spring from one end to the other, the degree to which the spring expands (or contracts) with an increase in temperature can be controlled fairly accurately by appropriate choice of the fibre material.
- Preferably the continuous fibres are part of a composite material, although it is possible to have a balance spring of continuous fibres in a non-composite material (i.e. without a matrix, e.g. long ceramic fibres).
- Where the material is a composite material, preferably the matrix phase comprises a polymer (of any of the types discussed above), carbon or a ceramic. In the case of a composite material with ceramic fibres, the fibres may be continuous fibres extending along the length of the spring from one end of the spring to the other as discussed above, or smaller fibres that do not extend all the way along the spring.

8

Where ceramic fibres are used (with or without a matrix), it is important that the ceramic is a non-magnetic ceramic. Preferably, but not necessarily, the balance spring ceramic is Alumina-Silica-Boria. Fused quartz or silica may also be used for the balance.

5

10

15

20

Preferably the thermal coefficient of expansion of the balance and the thermal coefficient of expansion of material of the balance spring, in the direction along the length of the balance spring, are of opposite signs and of similar orders of magnitude (i.e. the difference in magnitude between the two is not more than a factor of 6 and one of the α coefficients should not be greater than $1 \times 10^{-6} \text{ K}^{-1}$). In this way expansion of one can be compensated for by contraction of the other. example, if said thermal coefficient of expansion of the balance spring is negative and said thermal coefficient of expansion of the balance is positive then with an increase of temperature r increases, but 1 decreases and in accordance with equation [2] these effects combine to assist in compensating for thermal variation in said period of oscillation T.

WO 2004/008259

Preferably said coefficient of expansion are both very small. For example preferably the coefficient of thermal expansion of the balance is positive and less then 1x10- $^6 \text{K}^{-1}$ and the coefficient of thermal expansion of the material of the balance spring in the direction along the length of the balance spring is negative, but greater than $-1 \times 10^{-6} / K^{-1}$.

The variation of E (Youngs Modulus) with temperature is 10 also important and is determined by the thermoelastic coefficient which is a measure of the unit change in Young's Modulus per unit increase in temperature. Preferably the thermoelastic coefficient of the material of the balance spring is negative; most preferably 1% in the temperature range 0 to 60 degrees Celsius.

In general, the formula for timekeeping changes (U) consequent upon a rise in temperature of 1°C is $U = \alpha_1 - 3\alpha_2/2 - \delta E/2E$

20

15

5

Thus U can be made to tend to zero when suitable values of α_1 (balance coefficient of thermal expansion), α_2 (balance spring coefficient of thermal expansion) and the WO 2004/008259

5

10

10

PCT/GB2003/003000

thermo-elastic coefficient $\delta E/E$ are selected by selection of appropriate materials.

The tolerances represented by small α_1 , α_2 (e.g. less than $6 \times 10^{-6} \; \text{K}^{-1}$) and a small thermo-elastic value $\delta E/E$ allow much more readily for U to be kept low.

Preferably the continuous fibres are ceramic fibres or carbon fibres, most preferably carbon fibres having a graphitic carbon structure. Graphitic carbon structure has a negative longitudinal coefficient of thermal expansion. The fibres may for example be produced from a "PITCH" precursor or a polyacrilonitrile "PAN" precursor.

The fibres may be laid parallel to each other along their lengths, or may be twisted together. Twisting the fibres together modulates the coefficient of thermal expansion and Young's Modulus of the balance spring material and may be useful where the fibres have a high and the matrix a low Young's Modulus or coefficient of thermal expansion.

Preferably the coefficient of thermal expansion of the balance spring material in the direction along the length

of the balance spring is linear up to 700° Kelvin. This allows the system to be very stable in the ambient range (0-40°C) and also to compensate for thermal variations over a large range. Preferably said coefficient of thermal expansion is negative.

Preferably the damping of the modulus of elasticity of the balance spring is of the order of 0.001 pa.

10 Preferably the density of the composite material of the balance spring is less than $3g/cm^3$.

Preferably the balance is formed by high precision injection moulding.

15

5

Further aspects of the present invention also provide a horological mechanism or other precision instrument comprising the above described mechanical oscillator system.

20

An embodiment of the invention will now be described.

5

20

A mechanical oscillating system for use in a horological mechanism or other precision instrument comprises a balance, in the form of a balance wheel, and a balance spring arranged to oscillate said balance around an axis of rotation.

The balance wheel is made of a non-magnetic ceramic for which the coefficient of thermal expansion is, positive and less than +6 ×10⁻⁶ K⁻¹, most preferably less than 1

10 ×10⁻⁶ K⁻¹. Quartz is one example of a suitable material. Preferably high purity fused quartz is used, fused quartz has a coefficient of thermal expansion of ≤ +0.54 ×10⁻⁶ K⁻¹. Other alternative ceramic materials include Aluminium Nitride (+5.2), Alumino-Silicate-Glass (+5), Boron

15 Carbide (+5.6), Boron Nitride (+1.6), Silica (+0.75), Silicon hot-pressed or reaction bonded (+3.5) and Zirconia (stabilised) (+5); the numbers is brackets indicate the order of magnitude of the coefficient of thermal expansion of these materials in units ×10⁻⁶ K⁻¹

The method of fabrication of the balance wheel may preferably be by high precision injection moulding.

5

10

15

20

13

The balance spring is shaped into an Archimedes flat spiral or helicoid form. It is made from a composite material comprising continuous carbon fibres which are either twisted or laid parallel to each other, the fibres being continuous lengths of fibres which extend from one end of the spring to the other along the length 1 of the spring. The fibres are derived according to the stiffness required from the precursor pitch (a mixture of thousands of different species of hydrocarbon and heterocyclic molecules) or polyacrilonitrile 'PAN' (derived from a carbon graphitic structure). The fibres are coated and set in a matrix phase of polymer (thermosetting polymer, thermoplastic polymer, ester or phenolic base resin etc), ceramic or carbon. The composite material acts in a flexural manner. The axial modulus of elasticity of the fibres is between 230 and 1000Gpa. The composite has both a lower density less than 3g/cm³ and coefficient of damping of its Young's modulus of the order of (0.001 pa), both less than the currently employed metal alloys. Its thermal expansion coefficient (α) in the direction along the length of the spring remains both negative and stable to 700° Kelvin, and is greater than -1×10^{-6} K⁻¹.

This composite material is non-magnetic and obviates the negative effects of magnetism. The coefficient of thermal expansion α of the spring is negative and acts in parallel with the spring's Young's modulus which decreases linearly with a rise in temperature and is therefore negative (normal).

The values of the coefficients of thermal expansion (the α coefficients) for the spring and the balance are similar, very small and of opposite sign which further assist in the compensation for temperature variation.

The α coefficient of the spring remains the same over a wide temperature range, and the range of its use between 5° and 40°C represents only 5% at the centre of the total stable temperature range.

15

20

10

5

Thus, following the relationship:

$$T = 2\pi \sqrt{\frac{12.M.r^2 l}{E.h.e^3}}$$
 [2]

the numerator does not increase in value as is the case with the metal alloys when the temperature increases because the α coefficient of the fibre composite in the axial sense l is negative, and therefore it diminishes. The denominator also diminishes when the temperature rises because the thermoelastic coefficient is negative

WO 2004/008259

PCT/GB2003/003000

(normal). Furthermore the height (h) and thickness (e) of the carbon fibre-matrix composite balance spring also increase with temperature which also counteracts the decrease in Young's Modulus E with rising temperature.

5

By this combination of materials and their mechanical properties it is possible to obtain both greater accuracy and stability. The damping effect of the modulus of elasticity is one tenth of the value of the currently employed metal alloy and the reduced energy losses due to the decreased damping and density of the material allow to envisage maintaining stable amplitude significant increase in frequency and significantly reduced total energy losses in the oscillator system.

15

20

10

As has been explained above the present invention can be applied to a conventional mechanical oscillator system in a time keeping device such as a watch. An example of a conventional mechanical oscillator system in a time keeping device is illustrated and described on pages 194 to 195 of "How Things Work", volume 1 published 1972 by Paladin, UK, which is incorporated herein by reference.

Claims

- 1. A mechanical oscillator system for a horological mechanism or other precision instrument, the system comprising a non-magnetic ceramic balance and a non-magnetic balance spring of flat spiral or helicoidal form, the balance spring being formed of a composite material or a polymer, carbon or ceramic material.
- 2. A system according to claim 1 wherein said balance spring material comprises continuous fibres extending along the length of the balance spring from one end of said spring to the other end of said spring.
- 3. A system according to claim 1 or 2 wherein the balance spring is of a composite material and the matrix phase comprises polymer, carbon or ceramic.
- 4. A system according to any one of the preceding

 20 claims wherein the coefficient of thermal expansion of
 the balance and the coefficient of thermal expansion of
 the material of the balance spring in the direction along
 the length of the balance spring are of opposite signs

17

and of similar orders of magnitude so as to compensate for thermal variation in the system.

- 5. A system according to claim 4 wherein the coefficient of thermal expansion of the balance is positive and the coefficient of thermal expansion of the material of the balance spring in the direction along the length of the balance spring is negative.
- 10 6. A system according to claim 5 wherein the thermal coefficient of expansion of the balance is less than $1 \times 10^{-6} / \text{K}^{-1}$ and the coefficient of thermal expansion of the material of the balance spring in the direction along the length of the balance spring is greater than $-1 \times 10^{-6} / \text{K}^{-1}$.

15

- 7. A system according to any one of claims 2 to 6 wherein said continuous fibres are carbon fibres.
- 8. A system according to claim 7 wherein said fibres have a graphitic carbon structure.
 - 9. A system according to any one of claims 2 to 8 wherein the fibres are produced from one of the precursors 'PITCH' or polyacrilonitrile 'PAN'.

- 10. A system according to any one of claims 1 to 9 wherein the balance spring is of a composite material having a coefficient of thermal expansion in the direction along the length of the balance spring, said coefficient of thermal expansion being linear and negative up to 700° Kelvin.
- 11. A system according to any one of the preceding claims wherein the damping of the modulus of elasticity of the balance spring is of the order of 0.001 Pa.
 - 12. A system according to any one of claims 1 to 4 wherein said balance spring material comprises ceramic fibres.

15

- 13. A system according to claim 12 wherein said ceramic fibres have coefficient of thermal expansion which is less than $6 \times 10^{-6} \text{K}^{-1}$.
- 20 14. A system according to any one of claims 2 to 13 wherein said fibres are substantially parallel to each other.

19

- 15. A system according to any one of claims 2 to 13 wherein said fibres are twisted together.
- 16. A system according to any of the preceding claims
 5 wherein the balance spring is a flexion spring configured to work in flexion to oscillate the balance.
- 17. A system according to any one of the preceding claims the density of the balance spring material is less then 3g/cm³.
 - 18. A system according to any one of the preceding claims wherein the balance is formed by high precision injection moulding.

15

19. A system according to any one of the preceding claims wherein the material of the balance spring has a negative thermoelastic coefficient.

20

20. A mechanical oscillator system for use in a horological movement or other precision instrument, the system comprising a balance and a balance spring of spiral or helicoidal form, the balance being of a ceramic material and the balance spring of a composite material.

5

10

15

- 21. A system according to claim 20, wherein the composite material comprises continuous carbon fibres twisted or laid parallel in the sense of the main axis of the fibre according to the stiffness required.
- 22. A system according to claim 21, wherein according to the modulus of elasticity required, the fibres are produced from one of the precursors "PITCH" or polyacrilonitrioe "PAN".
- 23. A system according to claim 21 or 22, wherein the fibres are coated in a matrix phase of thermoset polymer, thermoplastic polymer or ceramic.
 - 24. A system according to any one of claims 20 to 23, wherein the balance spring material is not sensitive to the effects of magnetisation.

PCT/GB 03/03000

| A. CLASSI IPC 7 | FICATION OF SUBJECT MATTER G04B17/06 G04B17/22 F16F1/36 | 66 | | | | |
|---|--|---|--|--|--|--|
| According to International Patent Classification (IPC) or to both national classification and IPC | | | | | | |
| B. FIELDS | SEARCHED | | | | | |
| Minimum do IPC 7 | ocumentation searched (classification system followed by classification GO4B F16F | on symbols) | | | | |
| | ion searched other than minimum documentation to the extent that s | | | | | |
| ~<.~A.~ | ata base consulted during the international search (name of data bas ternal, PAJ, WPI Data, INSPEC | and, where practical, search terms used |) | | | |
| C. DOCUM | ENTS CONSIDERED TO BE RELEVANT | | | | | |
| Calegory * | Citation of document, with indication, where appropriate, of the rela | evant passages | Relevant to claim No. | | | |
| γ · | DE 196 51 321 A (SCHMIDT) 18 June 1998 (1998-06-18) column 1, line 17 - line 25 | | 1 | | | |
| Υ | PATENT ABSTRACTS OF JAPAN vol. 1998, no. 01, 30 January 1998 (1998-01-30) & JP 09 257069 A (NIKKISO CO LTD) 30 September 1997 (1997-09-30) abstract | , | 1 | | | |
| A | US 5 678 809 A (NAKAGAWA TAKAO E 21 October 1997 (1997-10-21) abstract | T AL) | 1,17 | | | |
| A | US 4 260 143 A (KLIGER HOWARD S) 7 April 1981 (1981-04-07) abstract | | 1 | | | |
| | | / | | | | |
| ' X '*Fuiti | ner documents are listed in the continuation of box C. | Y Patent family members are listed | In annex. | | | |
| | | | | | | |
| 'A' dooume consid | ent defining the general state of the art which is not ered to be of particular relevance | "T" later document published after the Inte or priority date and not in conflict with clied to understand the principle or the invention | the application but eory underlying the | | | |
| fillng d | 'E' earlier document but published on or after the International lifting date 'X' document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to | | | | | |
| *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O' document referring to an oral disclosure, use, exhibition or | | | | | | |
| olherr P= docume | neans only methished or for to the international filling date but | ments, such combination being obvious in the art. 8. document member of the same patent | is to a person skilled | | | |
| | actual completion of the international search | Date of mailing of the international sea | | | | |
| 1 | 3 October 2003 | 22/10/2003 | | | | |
| Name and n | nalling address of the ISA | Authorized officer | | | | |
| | European Patent Office, P.B. 5818 Palenliaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fay: (431-70) 340-9016 | Pineau, A | | | | |

Form PCT/ISA/210 (second sheet) (July 1992)

22

31. A system according to claim 20, wherein the balance is fabricated by a method of high precision injection moulding.

- 32. A system according to claims 20 to 31, wherein the coefficient of thermal expansion of the balance is positive in order to compensate the balance spring which has a negative coefficient of thermal expansion.
- 33. A system according to any one claims 20 to 32, wherein the balance is not sensitive to the effects of magnetisation.

PCT/GB 03/03000

| | | 1017 007 | | | | |
|---|---|---|-----------------------|--|--|--|
| A. CLASSIF IPC 7 | FICATION OF SUBJECT MATTER 604B17/06 G04B17/22 F16F1/360 | 6 | | | | |
| According to International Patent Classification (IPC) or to both national classification and IPC | | | | | | |
| B. FIELDS | | | | | | |
| Minimum do IPC 7 | cumentation searched (classification system followed by dassificatio GO4B F16F | n symbols) | * | | | |
| | ion searched other than minimum documentation to the extent that su | | | | | |
| Electronic de | ata base consulted during the International search (name of data bas | e and, where practical, search terms used) | | | | |
| | ternal, PAJ, WPI Data, INSPEC | | | | | |
| | | | | | | |
| C. DOCUME | ENTS CONSIDERED TO BE RELEVANT | | | | | |
| Category * | Citation of document, with indication, where appropriate, of the rele | vant passages | Relevant to claim No. | | | |
| Υ | DE 196 51 321 A (SCHMIDT) 18 June 1998 (1998-06-18) column 1, line 17 - line 25 | | 1 | | | |
| Υ | PATENT ABSTRACTS OF JAPAN vol. 1998, no. 01, 30 January 1998 (1998-01-30) & JP 09 257069 A (NIKKISO CO LTD) 30 September 1997 (1997-09-30) abstract | , | 1 | | | |
| A | US 5 678 809 A (NAKAGAWA TAKAO E 21 October 1997 (1997-10-21) abstract | T AL) | 1,17 | | | |
| A | US 4 260 143 A (KLIGER HOWARD S) 7 April 1981 (1981-04-07) abstract | | 1 | | | |
| | _ | / | | | | |
| ' X "Fuiti | her documents are listed in the continuation of box C. | Y Patent family members are listed | in annex. | | | |
| • Special ca | ategories of cited documents: | "T" later document nublished after the Inte | rnational filing date | | | |
| consider (| "T' tater document published after the International filling date or priority date and not in conflict with the application but cled to understand the principle or theory underlying the invention." "E" earlier document but published on or after the International "T' tater document published after the International filling date or priority date and not in conflict with the application but cled to understand the principle or theory underlying the invention." "E" earlier document but published after the International filling date or priority date and not in conflict with the application but cled to understand the principle or theory underlying the invention." | | | | | |
| *L* docume which | filing date "L" document which may throw doubts on priority claim(s) or which is clied to establish the publication date of another cliation or other special reason (as specified) "I" document which is clied to establish the publication date of another cliation or other special reason (as specified) "O" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the | | | | | |
| other | Od document referring to an oral disclosure, use, exhibition or other means of the man oral disclosure, use, exhibition or other means of the means | | | | | |
| later II | nan the priority date claimed | '&' document member of the same patent | | | | |
| | actual completion of the international search | Date of mailing of the international set $22/10/2003$ | arcn report | | | |
| | 3 October 2003 | 77/ 10/ 7003 | | | | |
| Name and I | malling address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL 2280 HV Rijswijk | Authorized officer | | | | |
| | Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016 | Pineau, A | | | | |

PCT/GB: 03/03000

| -(Continuat | Ilon) DOCUMENTS CONSIDERED TO BE RELEVANT | 1017 007 00000 |
|-------------|--|-----------------------|
| | Cilation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
| 1 | US 4 765 602 A (ROESELER WILLIAM G) 23 August 1988 (1988-08-23) abstract | 7,8 |
| - | | |
| | • • • • • • • • • • • • • • • • • • • | |
| | | |
| | | |
| | | |
| | | |
| - | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

nation on patent family members

PCT/GB 03/03000

| | document earch report | | Publication date | | Patent family member(s) | | Publication date |
|--------|--------------------------|--------------------|---------------------|----------------------------|--|-----------------|--|
| DE 196 | 551321 | Α | 18-06-1998 | DE CH | 19651321 692218 | | 18-06-1998 15-03-2002 |
| JP 092 | 257069 | A | 30-09-1997 | JP | 3017673 | B2 | 13-03-2000 |
| US 567 | 78809 | A | 21-10-1997 | US EP JP JP | 5503783 0684216 3045889 6264947 | A1 B2 | 02-04-1996 29-11-1995 29-05-2000 20-09-1994 |
| US 426 | 50143 ^ | 4N: A - 113 | . 07–04–1981 | DE FR GB JP US | ·· -3000520 2446420 2041152 55100436 4380483 | A1 A ,B A | 24#07-1980 08-08-1980 03-09-1980 31-07-1980 19-04-1983 |
| US 476 | 55602 | Α | 23-08-1988 | NONE | | | _ |

CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 22 January 2004 (22.01.2004)

PCT

(10) International Publication Number WO 2004/008259 A1

(51) International Patent Classification⁷: 17/22, F16F 1/366

G04B 17/06,

(21) International Application Number:

PCT/GB2003/003000

(22) International Filing Date:

10 July 2003 (10.07.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 02/08802

12 July 2002 (12.07.2002) FR

(71) Applicant and

(72) Inventor: LEVINGSTON, Gideon [GB/FR]; 50, avenue Francis de Croisset, F-06130 Grasse (FR).

(74) Agents: CALDERBANK, T., Roger et al.; Mewburn Ellis, York House, 23 Kingsway, London, Greater London WC2B 6HP (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,

GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

(48) Date of publication of this corrected version:

8 April 2004

(15) Information about Correction: see PCT Gazette No. 15/2004 of 8 April 2004, Section Π

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MECHANICAL OSCILLATOR SYSTEM

(57) Abstract: A mechanical oscillator system comprising a balance wheel and a spiral or helicoidal balance spring for use in horological mechanisms or other precision instruments. The balance spring is made of a non-magnetic composite, polymer, carbon or ceramic material, preferably a composite material of carbon fibres in a polymer, carbon or ceramic matrix, and the balance wheel is made from a non-magnetic ceramic. The values of the thermal expansion coefficients for the balance spring and balance wheel are similar, very small and stable over a wide temperature range. The expansion coefficients in the axial sense of the spring and of the balance wheel are of opposite sign and they compensate one another. The density of these materials is smaller than that of the currently used metals. Through this combination of materials it is possible to obtain significant advantages and a higher level of accuracy and stability compared with metal oscillator systems.



Original (for SUBMISSION) - printed on 09.07.2003 03:22:45 PM

| 0 | For receiving Office use only | |
|--------|---|--------------------------------------|
| 0-1 | International Application No. | ·· |
| 0-2 | International Filing Date | · |
| 0-3 | Name of receiving Office and "PCT International Application" | |
| | <u> </u> | · |
| 0-4 | Form - PCT/RO/101 PCT Request | |
| 0-4-1 | Prepared using | PCT-EASY Version 2.92 |
| | | (updated 01.01.2003) |
| 0-5 | Petition | (updated 01.01.2003) |
| | The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty | |
| 0-6 | Receiving Office (specified by the applicant) | United Kingdom Patent Office (RO/GB) |
| 0-7 | Applicant's or agent's file reference | DRHFP6155139 |
| 1 | Title of invention | MECHANICAL OSCILLATOR SYSTEM |
| 11 | Applicant | |
| 11-1 | This person is: | applicant and inventor |
| 11-2 | Applicant for | all designated States |
| 11-4 | Name (LAST, First) | LEVINGSTON, Gideon |
| 11-5 | Address: | 50 Avenue Francis de Croisset |
| | | F-06130 Grasse |
| | | France |
| 11-6 | State of nationality | GB |
| 11-7 | State of residence | FR |
| IV-1 | Agent or common representative; or | |
| | address for correspondence The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: | agent |
| IV-1-1 | Name (LAST, First) | CALDERBANK, T., Roger |
| IV-1-2 | Address: | Mewburn Ellis |
| | | York House |
| • | | 23 Kingsway |
| | | London, Greater London WC2B 6HP |
| N/ 4 2 | T-lash and Ma | United Kingdom |
| IV-1-3 | Telephone No. | 0117 926 6411 |
| IV-1-4 | Facsimile No. | 020 7240 9339 |
| IV-1-5 | e-mail | roger.calderbank@mewburn.com |



Original (for SUBMISSION) - printed on 09.07.2003 03:22:45 PM

| IV-2 | Additional agent(s) | Indditional count(s) with some address as |
|----------|--|--|
| 14-2 | Additional agent(s) | additional agent(s) with same address as first named agent |
| IV-2-1 | Name(s) | |
| 17-2-1 | ivaine(s) | ARMITAGE, Ian, M.; BRASNETT, Adrian, H.; |
| | | COCHLIN, Rachel, L.; COLEIRO, Raymond; |
| | · · | CRIPPS, Joanna, E.; DENISON, |
| | | Christopher, M.; FORD, Michael, F.; |
| | | HACKNEY, Nigel, J.; HARRISON, Susan, J.; |
| | | KIDDLE, Simon, J.; KREMER, Simon, M.; |
| | | LYONS, June, M.; NAYLOR, Mathew, J.; |
| | | NICHOLLS, Kathryn, M.; PAGET, Hugh, |
| | | C.E.; SANDERSON, Michael, J.; STONER, |
| | | G., Patrick; STUART, Ian; SUTCLIFFE, |
| | | Nicholas, R.; WALTON, Sean, M.; WATSON, |
| <u>v</u> | Designation of States | Robert, J. |
| V V-1 | Regional Patent | |
| V-1 | (other kinds of protection or treatment, | AP: GH GM KE LS MW MZ SD SL SZ TZ UG ZM |
| | if any, are specified between parentheses after the designation(s) | ZW and any other State which is a Contracting State of the Harare Protocol |
| • | concerned) | and of the PCT |
| | | EA: AM AZ BY KG KZ MD RU TJ TM and any |
| | | other State which is a Contracting State |
| | | of the Eurasian Patent Convention and of |
| | | the PCT |
| | | EP: AT BE BG CH&LI CY CZ DE DK EE ES FI |
| | • | FR GB GR HU IE IT LU MC NL PT SE SI SK |
| | | TR and any other State which is a |
| | | Contracting State of the European Patent |
| | | Convention and of the PCT |
| | | OA: BF BJ CF CG CI CM GA GN GQ GW ML MR |
| | | NE SN TD TG and any other State which is |
| | | a member State of OAPI and a Contracting |
| | | State of the PCT |
| V-2 | National Patent (other kinds of protection or treatment, | AE AG AL AM AT AU AZ BA BB BG BR BY BZ |
| | if any, are specified between | CA CHELI CN CO CR CU CZ DE DK DM DZ EC |
| | parentheses after the designation(s) concerned) | EE ES FI GB GD GE GH GM HR HU ID IL IN |
| | | IS JP KE KG KP KR KZ LC LK LR LS LT LU |
| | | LV MA MD MG MK MN MW MX MZ NI NO NZ OM |
| | | PH PL PT RO RU SC SD SE SG SK SL TJ TM |
| | | TN TR TT TZ UA UG US UZ VC VN YU ZA ZM |
| | | ZW |



Original (for SUBMISSION) - printed on 09.07.2003 03:22:45 PM

| V-5 | Precautionary Designation Statement | | |
|--------------|---|----------------------------|-----------------------------|
| | In addition to the designations made under items V-1, V-2 and V-3, the applicant also makes under Rule 4.9(b) all designations which would be permitted under the PCT except any designation(s) of the State(s) indicated under item V-6 below. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. | | |
| V-6 | Exclusion(s) from precautionary designations | NONE | |
| VI-1 | Priority claim of earlier national application | | |
| VI-1-1 | Filing date | 12 July 2002 (12.07 | 2002) |
| VI-1-2 | Number | 0208802 | . 2002) |
| VI-1-3 | Country | FR | |
| VII-1 | International Searching Authority Chosen | European Patent Off: | ice (EPO) (ISA/EP) |
| VIII | Declarations | Number of declarations | 1 |
| VIII-1 | Declaration as to the identity of the inventor | - | |
| VIII-2 | Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent | _ | |
| VIII-3 | Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application | _ | |
| VIII-4 | Declaration of inventorship (only for the purposes of the designation of the United States of America) | _ | |
| VIII-5 | Declaration as to non-prejudicial disclosures or exceptions to lack of novelty | _ | · |
| IX 1 | Check list | number of sheets | electronic file(s) attached |
| IX-1 IX-2 | Request (including declaration sheets) Description | 4 | - |
| IX-2 IX-3 | Claims | 15 | - |
| | | 7 | _ |
| IX-4 IX-5 | Abstract | 1 | EZABST00.TXT |
| IX-5 | Drawings | 0 | _ |
| 1X-7 | TOTAL - | 27 | |
| 12.0 | Accompanying items | paper document(s) attached | electronic file(s) attached |
| IX-8 | Fee calculation sheet | ✓ | _ |
| IX-17 | PCT-EASY diskette | _ | Diskette |
| IX-19 | Figure of the drawings which should accompany the abstract | | |
| IX-20 | Language of filing of the International application | English | |

| X-1 | Signature of applicant, agent or common representative | |
|--------|---|---------------------------|
| | oommon representative | |
| X-1-1 | Name (LAST, First) | CALDERBANK, T., Roger |
| | FOR | RECEIVING OFFICE USE ONLY |
| | TOK | COLIVING OFFICE USE ONLY |
| 10-1 | Date of actual receipt of the purported international application | |
| 10-2 | Drawings: | |
| 10-2-1 | Received | |
| 10-2-2 | Not received | |
| 10-3 | Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application | |
| 10-4 | Date of timely receipt of the required corrections under PCT Article 11(2) | |
| 10-5 | International Searching Authority | ISA/EP |
| 10-6 | Transmittal of search copy delayed until search fee is paid | |

| 11-1 | Date of receipt of the record copy by | |
|------|---------------------------------------|--|
| | the International Bureau | |
| | | |

| | | | PCT((^(_)) = |
|---|--|---|---|
| To: ' | | | |
| wburn Ellis | | Nomi | UCICA MICNION OF THE INTERNATION |
| rórk House | | | IFICATION OF THE INTERNATION PLICATION NUMBER AND OF THE |
| 23 Kingsway | RECEIVED | | INTERNATIONAL FILING DATE |
| London | 20 1111 2002 | | (DOT D. d. 20 \$(-)) |
| WC2B 6HP | 2 9 JUL 2003 | | (PCT Rule 20.5(c)) |
| VV C2D 0111 | MEWBURN ELLIS | Date of mailing | |
| | | (day/month/year) | 28 JUL 2003 |
| Applicant's or agents's file referer | nce | IMP | ORTANT NOTIFICATION |
| DRHFP6155139 | ·. | l livii | ORTANI NOTIFICATION |
| International application No. | International filing date (a | | Priority date (day/manth/year) |
| PCT/GB2003/003000 | 10/07/200 | 3 | 12/07/2002 |
| Applicant | | | |
| Levingston, Gideon | | | |
| Title of the invention Mechanical Oscillator Syste | m | | |
| | | | |
| | | | |
| | | | · |
| | | tion has been acco | orded the international application number and |
| The applicant is hereby note the international filing date | | tion has been acco | rded the international application number and |
| | | tion has been acco | rded the international application number and |
| the international filing date 2. The applicant is further not | indicated above. fied that the record copy of the in | nternational applica | ation: |
| the international filing date 2. The applicant is further not | indicated above. fied that the record copy of the in | nternational applica | ation: |
| 2. The applicant is further not was transmitted t | indicated above. Fied that the record copy of the in the international Bureau on | nternational applica | ation: JUL 2003 |
| 2. The applicant is further not was transmitted that not yet been | indicated above. Fied that the record copy of the in the international Bureau on | nternational applica 28 | ation: |
| 2. The applicant is further not was transmitted that not yet been notification has to | indicated above. Ified that the record copy of the ir to the International Bureau on transmitted to the International Burean sent to the International Bure | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further not was transmitted that not yet been notification has to | indicated above. Ified that the record copy of the ir o the International Bureau on transmitted to the International B | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further not was transmitted that notification has beca | indicated above. Ified that the record copy of the ir to the International Bureau on transmitted to the International Burean sent to the International Bure | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further not was transmitted that notification has beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further notives was transmitted to has not yet been notification has to beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further notives was transmitted to has not yet been notification has to beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further notives was transmitted to has not yet been notification has to beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further notives was transmitted to has not yet been notification has to beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further not was transmitted that notification has beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further note was transmitted to has not yet been notification has to beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further note was transmitted to has not yet been notification has to beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further note was transmitted to has not yet been notification has to beca | indicated above. If it is a security of the international Bureau on transmitted to the International Bureau on transmitted to the International Bureau sent to the International Bureau the necessary national security | nternational applica 28 ureau for the reaso eau*: | ation: JUL 2003 on indicated below and a copy of this |
| 2. The applicant is further note was transmitted to has not yet been notification has beca | indicated above. Ified that the record copy of the ir o the International Bureau on transmitted to the International Burean sent to the International Bureau sent to the International Bureau set the necessary national securituse (reason to be specified): | ureau for the reaso eau*: | JUL 2003 on indicated below and a copy of this t yet been obtained. |
| the international filing date 2. The applicant is further note was transmitted to has not yet been notification has to beca beca beca * The International Bureau money (with Form PCT/IB/301) of | indicated above. If ied that the record copy of the ir o the International Bureau on transmitted to the International Burean sent to the International Bureause the necessary national securituse (reason to be specified): | ureau for the reasoneau*: y clearance has not doopy by the receive not have been re- | ation: JUL 2003 on indicated below and a copy of this it yet been obtained. Eiving Office and will notify the applicant accived by the expiration of 14 months from |

| I | Name and mailing address of the receiving Office | Authorized officer |
|---|--|----------------------------|
| I | The Patent Office | Kelly Sheppard |
| I | Cardiff Road, Newport | Keny Sucapard |
| I | Facsimile No. South Wates NP10 8QQ | Telephone No. 01633 814589 |

PATENT COOPERATION TREATY

| | | From t | he INTERNATIONAL BUREAU | | |
|---|--|---|--|--|--|
| PCT NOTIFICATION OF RECEIPT OF RECORD COPY (PCT Rule 24.2(a)) RECORDS ENT'D ARECORDS SEEN DIARY ENT'D | | Mey Yor 23 I Lor Un | DERBANK, T., Roger Noburn Ellis k House Kingsway Idon, Greater London WC2B 6HP ted Kingdom | | |
| Date of mailing (day/month/year) 06 August 2003 (06.08.03) | ALREADY ENT'D | | IMPORTANT NOTIFICATION | | |
| Applicant's or agent's file reference DRHFP6155139 | | | tional application No. CT/GB03/03000 | | |
| detailed below. Name(s) of the applicant(s) and State(s LEVINGSTON, Gideon(all International filing date Priority date(s) claimed Date of receipt of the record copy by the International Bureau List of designated Offices AP:GH,GM,KE,LS;MW,MZ EA:AM,AZ,BY,KG,KZ,MD,I EP:AT,BE,BG,CH,CY,CZ,DI OA:BF,BJ,CF,CG,CI,CM,GA National:AE,AG,AL,AM,AT | o) for which they are applicated States) : 10 Ju : 12 Ju : 04 A : ,SD,SL,SZ,TZ,UG,ZM,RU,TJ,TM E,DK,EE,ES,FI,FR,GB,A,GN,GQ,GW,ML,MR T,AU,AZ,BA,BB,BG,BI,GM,HR,HU,ID,IL,IN,IS,W,MX,MZ,NI,NO,NZ,C | uly 200 uly 200 ugust 2 ,ZW GR,HU ,NE,SN R,BY,B | d the record copy of the international application as 3 (10.07.03) 2 (12.07.02) 2003 (04.08.03) ,IE,IT,LU,MC,NL,PT,RO,SE,SI,SK,TR I,TD,TG Z,CA,CH,CN,CO,CR,CU,CZ,DE,DK,DM,DZ,E,KG,KP,KR,KZ,LC,LK,LR,LS,LT,LU,PL,PT,RO,RU,SC,SD,SE,SG,SK,SL,TJ,TM,TN, | | |
| ATTENTION The applicant should carefully check the data appearing in this Notification. In case of any discrepancy between these data and the indications in the international application, the applicant should immediately inform the International Bureau. In addition, the applicant's attention is drawn to the information contained in the Annex, relating to: X time limits for entry into the national phase - see updated important information (as of April 2002) Confirmation of precautionary designations (if applicable) X requirements regarding priority documents (if applicable) A copy of this Notification is being sent to the receiving Office and to the International Searching Authority. | | | | | |

Authorized officer:

Telephone No. (41-22) 338 9254

Facsimile No. (41-22) 338.87.40

The International Bureau of WIPO

34, chemin des Colombettes 1211 Geneva 20, Switzerland Carine SEVILLANO (Fax 022 338 87 40)

INFORMATION ON TIME LIMITS FOR ENTERING THE NATIONAL PHASE

The applicant is reminded that the "national phase" must be entered before each of the designated Offices indicated on the cover sheet of this Notification by paying national fees and furnishing translations, as prescribed by Articles 22 and 39 and the applicable national laws. In addition, the applicant may also have to comply with other special requirements applicable in certain Offices. It is the applicant's responsibility to ensure the necessary steps to enter the national phase are taken in a timely fashion. Most Offices do not issue reminders to applicants in connection with the entry into the national phase.

The applicable time limit for entering the national phase will, subject to what is said in the following paragraph, be 30 MONTHS from the priority date, not only in respect of any elected Office where a demand for international preliminary examination is filed before the expiration of 19 months from the priority date (see Article 39(1)), but also in respect of any designated Office, in the absence of filing of such demand, where Article22(1) as modified with effect from 1 April 2002 applies in respect of that designated Office. For further details, see PCT Gazette No. 44/2001 of 1 November 2001, pages 19926, 19932 and 19934, as well as the PCT Newsletter, October and November 2001 and February 2002 issues.

In practice, time limits other than the 30-month time limit will continue to apply, for various periods of time, in respect of certain designated or elected Offices. For regular updates on the applicable time limits (20, 21, 30 or 31 months, or other time limit), Office by Office, refer to the PCT Gazette("Section IV" part published on a weekly basis), to the PCT Newsletter (on a monthly basis) and to the relevant National Chapters in Volume II of the PCT Applicant's Guide (the paper version of which is updated usually twice a year and the Internet version of which is updated usually on a weekly basis). Finally, a cumulative table of all applicable time limits for entering the national phase is available from WIPO's Internet site, via links from various pages the site including those of the Gazette, Newsletter and Guide, at http://www.wipo.int/pct/en/index.html.

Information about the requirements for filing a demand for international preliminary examination is set out in the PCT Applicant's Guide, Volume I/A, Chapter IX. Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination (at present, all PCT Contracting States are bound by Chapter II).

CONFIRMATION OF PRECAUTIONARY DESIGNATIONS

This notification lists only specific designations made under Rule 4.9(a) in the request. It is important to check that these designations are correct. Errors in designations can be corrected where precautionary designations have been made under Rule 4.9(b). The applicant is hereby reminded that any precautionary designations may be confirmed according to Rule 4.9(c) before the expiration of 15 months from the priority date (this time limit may not be extended). If it is not confirmed, it will automatically be regarded as withdrawn by the applicant. There will be no reminder and no invitation. Confirmation of a designation consists of the filing of a notice specifying the designated State concerned (with indication of the kind of protection or treatment desired) and the payment of the designation and confirmation fees. The Notice of confirmation and payment must reach the receiving Office within the 15-month time limit.

REQUIREMENTS REGARDING PRIORITY DOCUMENTS

For applicants who have not yet complied with the requirements regarding priority documents, the following is recalled.

Where the priority of an earlier national, regional or international application is claimed, the applicant must submit a copy of the said earlier application, certified by the authority with which it was filed ("the priority document") to the receiving Office (which will transmit it to the International Bureau) or directly to the International Bureau, before the expiration of 16 months from the priority date, provided that any such priority document may still be submitted to the International Bureau before that date of international publication of the international application, in which case that document will be considered to have been received by the International Bureau on the last day of the 16-month time limit (Rule 17.1(a)).

Where the priority document is issued by the receiving Office, the applicant may, instead of submitting the priority document, request the receiving Office to prepare and transmit the priority document to the International Bureau. Such request must be made before the expiration of the 16-month time limit and may be subjected by the receiving Office to the payment of a fee (Rule 17.1(b)).

If the priority document concerned is not submitted to the International Bureau or if the request to the receiving Office to prepare and transmit the priority document has not been made (and the corresponding fee, if any, paid) within the applicable time limit indicated under the preceding paragraphs, any designated State may disregard the priority claim, provided that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within the time limit which is reasonable under the circumstances.

Where several priorities are claimed, the priority date to be considered for the purposes of computing the 16-month time limit is the filing date of the earliest application whose priority is claimed.

PCT

NOTIFICATION CONCERNING SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

From the INTERNATIONAL BUREAU

To:

CALDERBANK, T., Roger RECEIVED

Mewburn Ellis
York House 1 SEP 2003

York House 23 Kingsway

London, Greater London WC2B: 6HP.....

United Kingdom

| Date of mailing (day/month/year) 03 September 2003 (03.0 | g.1023 RDS ENT'D | | |
|--|------------------|---------|---|
| Applicant's or agent's file reference DRHFP6155139 | | | IMPORTANT NOTIFICATION |
| International application No. PCT/GB03/03000 | ALREADY ENT'D | · linte | rnational filing date (day/month/year) 10 July 2003 (10.07.03) |
| International publication date (day/month/year) Not yet published | | Pri | ority date (day/month/year) 12 July 2002 (12.07.02) |

LEVINGSTON, Gideon

- The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the
 International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise
 indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority
 document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- 3. An asterisk(*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- 4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Priority date
Priority application No.

Country or regional Office
of priority document

or PCT receiving Office

12 July 2002 (12.07.02) 02/08802 FR 29 Augu 2003 (29.08.03)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Abderrazak LAAROUSSI

Telephone No. (41-22) 338 9999

Facsimile No. (41-22) 338.87.40

PCT

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

To:

CALDERBANK, T., Roger Mewburn Ellis York House 23 Kingsway London, Greater London WC2B 6HP ROYAUME-UNI

RECEIVED

- 2 FFB 2004

IMPORTIENT SOTTHEFELLIS

Date of mailing (day/month/year)
22 January 2004 (22.01.2004)

Applicant's or agent's file reference DRHFP6155139

International application No. PCT/GB2003/003000

International filing date (day/month/year) 10 July 2003 (10.07.2003)

Priority date (day/month/year)
12 July 2002 (12.07.2002)

Applicant

LEVINGSTON, Gideon

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this notice:

AU, AZ, BY, CH, CN, CO, DE, DZ, EP, HU, JP, KG, KP, KR, MD, MK, MZ, RU, TM, US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AE, AG, AL, AM, AP, AT, BA, BB, BG, BR, BZ, CA, CR, CU, CZ, DK, DM, EA, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, ID, IL, IN, IS, KE, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MG, MN, MW, MX, NI, NO, NZ, OA, OM, PG, PH, PL, PT, RO, SC, SD, SE, SG, SK, SL, SY, TJ, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW

The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

- Enclosed with this notice is a copy of the international application as published by the International Bureau on 22 January 2004 (22.01.2004) under No. WO 2004/008259
- 4. TIME LIMITS for filing a demand for international preliminary examination and for entry into the national phase

The applicable time limit for entering the national phase will, subject to what is said in the following paragraph, be 30 MONTHS from the priority date, not only in respect of any elected Office if a demand for international preliminary examination is filed before the expiration of 19 months from the priority date, but also in respect of any designated Office, in the absence of filing of such demand, where Article 22(1) as modified with effect from 1 April 2002 applies in respect of that designated Office. For further details, see *PCT Gazette* No. 44/2001 of 1 November 2001, pages 19926, 19932 and 19934, as well as the *PCT Newsletter*, October and November 2001 and February 2002 issues.

In practice, time limits other than the 30-month time limit will continue to apply, for various periods of time, in respect of certain designated or elected Offices. For regular updates on the applicable time limits (20, 21, 30 or 31 months, or other time limit), Office by Office, refer to the PCT Gazette, the PCT Newsletter and the PCT Applicant's Guide, Volume II, National Chapters, all available from WIPO's Internet site, at http://www.wipo.int/pct/en/index.html.

For filing a demand for international preliminary examination, see the PCT Applicant's Guide, Volume I/A, Chapter IX. Only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination (at present, all PCT Contracting States are bound by Chapter II).

. It is the applicant's sole responsibility to monitor all these time limits.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

Gijsbertus Beijer - Carlos Roy

Facsimile No.(41-22) 740.14.35

Telephone No.(41-22) 338.91.11